UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/534,237	05/06/2005	Juan Manuel Teijido	282780US8X PCT	3378
22850 7590 09/05/2008 OBLON, SPIVAK, MCCLELLAND MAIER & NEUSTADT, P.C. 1940 DUKE STREET			EXAMINER	
			MARTINEZ, JOSEPH P	
ALEXANDRIA, VA 22314			ART UNIT	PAPER NUMBER
			2873	
			NOTIFICATION DATE	DELIVERY MODE
			09/05/2008	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patentdocket@oblon.com oblonpat@oblon.com jgardner@oblon.com

	Application No.	Applicant(s)				
Office Action Occurrence	10/534,237	TEIJIDO ET AL.				
Office Action Summary	Examiner	Art Unit				
	JOSEPH MARTINEZ	2873				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1) Responsive to communication(s) filed on 29 Ma	av 2008					
	· · · · · · · · · · · · · · · · · · ·					
3) Since this application is in condition for allowan		secution as to the merits is				
	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
4)⊠ Claim(s) <u>41-47</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>41-47</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or	election requirement.					
Application Papers						
9)☐ The specification is objected to by the Examine	•					
10)⊠ The drawing(s) filed on <u>29 May 2008</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner.						
Applicant may not request that any objection to the o	_ · · · - ·					
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received.						
Certified copies of the priority documents	2. Certified copies of the priority documents have been received in Application No					
3. Copies of the certified copies of the prior	3. Copies of the certified copies of the priority documents have been received in this National Stage					
application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s)						
1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413)						
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date Notice of Informal Patent Application						
Paper No(s)/Mail Date 6) Other:						

DETAILED ACTION

Drawings

The drawings were received on 5-29-08. These drawings are acceptable.

Response to Arguments

Applicant's arguments, see p. 6, filed 5-29-08, with respect to claims 1, 40, 42 and 44 have been fully considered and are persuasive. The 35 U.S.C. 112 second paragraph rejection of claims 1, 40, 42 and 44 has been withdrawn.

Applicant's arguments filed 5-29-08 have been fully considered but they are not persuasive. Re applicant's arguments on p. 7-8, wherein the applicant argues that the prior art does not disclose an additional light coupling mechanism (emphasis added), have been considered, but are not persuasive. In fig. 2A of Tiao et al. (6318863), the examiner interprets taper light pipes 212 and 220 to be separate and distinct elements and therefore teaches an additional light coupling mechanism, as argued.

Applicant's arguments with respect to claim 46 have been considered but are moot in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 46 and 47 are rejected under 35 U.S.C. 102(b) as being fully anticipated by Tiao et al. (6318863).

Re claim 46, Tiao et al. teaches for example in fig. 2A, an illumination arrangement, comprising: a solid state light source (202); a light collecting, integrating and re-directing device (220) configured to receive at least a part of emitted light from said solid state light source and to redirect said received light (col. 3, ln. 21-24); and a light coupling mechanism (212) configured to improve coupling efficiency of said emitted light from said solid state light source to said light collecting, integrating and redirecting device (col. 3, ln. 14-17).

Re claim 47, Tiao et al. teaches for example in fig. 2A, an illumination arrangement, comprising: a solid state light source (202); a light collecting, integrating and redirecting device (220) configured to receive at least a part of emitted light from said solid state light source and to redirect said received light (col. 3, ln. 21-24); and a light coupling means (212) for improving coupling efficiency of said emitted light from said solid state light source to said light collecting, integrating and redirecting device (col. 3, ln. 14-17).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 41-45 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tiao et al. (6318863) in view of Li (6587269).

Re claim 41, supra claim 46. Furthermore, Tiao et al. further teaches for example in fig. 2A, said light integrating device (220) is or comprises a plain light pipe (col. 3, ln. 22) in particular a solid integration rod-having a light incidence aperture (220A) and a side wall (wall of 220).

But, Tiao et al. fails to explicitly teach said side wall of said light integrated device is provided with a reflecting means as said light coupling and/or guiding improving arrangement or as a part thereof at its outer periphery at least in a neighborhood of said light incidence aperture, and wherein said reflecting means is adapted and/or arrangement so as to reflect light escaping from said light integrating device through the side wall thereof back into said light integrating device.

However, within the same field of endeavor, Li teaches for example in fig. 1 and 5, said side wall of said light integrated device is provided with a reflecting means (60) as said light coupling and/or guiding improving arrangement (arrangement in fig. 1 and

5) or as a part thereof at its outer periphery at least in a neighborhood of said light incidence aperture (col. 4, ln. 14-22), and wherein said reflecting means (60) is adapted and/or arrangement so as to reflect light escaping from said light integrating device (20) through the side wall thereof back into said light integrating device (50; fig. 1).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the teachings of Liao et al. with the teachings of Li in order to provide a more uniform intensity profile, as taught by Li (col. 4, In. 16-17).

Re claim 42, supra claim 46. Furthermore, Tiao et al. further teaches for example in fig. 2A, said light integrating device (220) is or comprises a plain light pipe (col. 3, In. 22) in particular a solid integration rod-having a light incidence aperture (220A), wherein said light incidence aperture (220A) of said light integrating device (220) is positioned in a neighborhood (fig. 2A) of a light exit aperture (212B) of said light mixing devices (212).

But, Tiao et al. fails to explicitly teach between said light incidence aperture of said light integrating device and said light exit aperture of said light source device or of said light mixing devices refraction index matching means is or are provided, in particular filling a gap or a gap structure between said light incidence aperture of said light integrating device and said light exit aperture of said light source device and/or light mixing devices.

However, within the same field of endeavor, Li teaches for example in fig. 1 and 5, between said light incidence aperture (501) of said light integrating device (50) and

said light exit aperture of said light source device or of said light mixing devices (30) refraction index matching means (col. 5, ln. 39-45) is or are provided, in particular filling a gap or a gap structure (70) between said light incidence aperture (input of 20 and 50) of said light integrating device (20, 50) and said light exit aperture of said light source device (120) or light mixing devices (30).

Page 6

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the teachings of Liao et al. with the teachings of Li in order to provide a more uniform intensity profile, as taught by Li (col. 4, In. 16-17).

Re claim 43, Li further teaches for example in fig. 1 and 5, wherein said refraction index matching means is a liquid, gel, and/or a glue (col. 5, ln. 42-44).

Re claim 44, Li further teaches for example in fig. 1 and 5, wherein said refraction index matching means has a refraction index which essentially coincides with the refraction index of the material of said light integration device or with the refraction index of the material of the light source devices periphery (col. 5, ln. 42-44; wherein the examiner interprets the refractive index of the "low index epoxy or other transparent material such that the total internal reflection still occurs" to teach a refraction index which essentially coincides with the refraction index of the material of said integration device).

Re claim 45, Li further teaches for example in fig. 1 and 5, wherein said light integration device (20, 50) is or comprises a hollow light pipe (col. 4, ln. 25) having a light incidence aperture (input of 20 and 50), wherein said light incidence aperture of said light integrating device (20, 50) is positioned in a neighborhood of a light exit aperture (fig. 5) of said light source device (120) or of said light mixing devices (30) and wherein a second or end section in the neighborhood of said light incidence aperture (input of 20 and 50) and/or being terminated by said light incidence aperture (input of 20 and 50) is - in particular completely - filled with a plain light pipe section (20 or 50), in particular for matching the respective refraction indices (col. 4, ln. 30-33; wherein the examiner interprets 20 and 50 could be made from the same material).

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

Application/Control Number: 10/534,237 Page 8

Art Unit: 2873

the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Joseph P. Martinez whose telephone number is 571-272-2335. The examiner can normally be reached on M-F 7:00 AM to 3:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ricky Mack can be reached on 571-272-2333. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/Joseph Martinez/ Patent Examiner, AU 2873 9-1-08